

Eberspächer

Delivery Forecast

EDIFACT DELFOR D97.A

0. TABLE OF CONTENT

1.	SERVICE SEGMENTS DESCRIPTION	3
2.	MESSAGE STRUCTURE	8
3.	DATA SEGMENTS DESCRIPTION	9
4.	FULL EXAMPLE OF MESSAGE	28


1. SERVICE SEGMENTS DESCRIPTION

The UNB, UNH, UNT and UNZ segments are the envelope of any message, enclosing all the data that is being conditional.

The UNB (Interchange header) and UNZ (Interchange trailer) segments mark respectively the beginning and the end of an interchange thereby providing a unique interchange control reference.

Within the interchange the UNH (message header) and UNT (Message trailer) segments uniquely begin and end the various messages contained in an interchange.

EXAMPLE OF AN INTERCHANGE STRUCTURE



0000 UNB - INTERCHANGE HEADER

Segment Group: none
 Level: 0
 Maximum use: 1 per interchange
 Function: service segment providing the unique identification of an interchange. It allows the identification of the sender and the receiver of the interchange, gives date and time of preparation as well as the interchange control reference and the application reference.

Example: **UNB+UNOA:2+315032995:01+12345:ZZ+031016:0735+4999020++DELINS'**
 A B C D E F G H I J

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION			
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS	
A	S001	<i>SYNTAX IDENTIFIER</i>	M			M		"UNOA". „2“ Indication of the syntax version used for this message.	
	0001	Syntax identifier	M	a4	:	M	a4		
B	0002	Syntax version number	M	n1	+	M	n1		
C	S002	<i>INTERCHANGE SENDER</i>	M			M		315032995 Eberspaecher IBM IE net mailbox number . 1 = DUNS number	
	0004	Sender identification	M	an..35	:	M	an..35		
D	0007	Identification code qualifier	C	an..4	:	M			
	0008	Address for Reverse Routing	C	an..14	+				
E	S003	<i>INTERCHANGE RECIPIENT</i>	M			M		Communication code/mailbox number of the party receiving the message.	
	0010	Recipient identification	M	an..35	:	M	an..35		
F	0007	Identification code qualifier	C	an..4	:	C			
	0014	Routing address	C	an..14	+				
G	S004	<i>DATE / TIME OF PREPARATION</i>	M			M		YYMMDD format HHMM format	
	0017	Date of preparation	M	n6	:	M	n6		
H	0019	Time of preparation	M	n4	+	M	n4		
I	0020	INTERCHANGE CONTROL REFERENCE	M	an..14	+	M	an..14	The ICR number is UNIQUE within an inventory year	
	S005	<i>RECIPIENTS REFERENCE PASSWORD</i>	C						
	0022	Recipient's reference / password	M	an..14	:				
J	0025	Recipient's reference / password qualifier	C	an2	+				
	0026	APPLICATION REFERENCE	C	an..14	+	C	an..14	"DELINS"	
	0029	PROCESSING PRIORITY CODE	C	a1	+				
	0031	ACKNOWLEDGEMENT REQUEST	C	n1	+				
	0032	COMMUNICATIONS AGREEMENT ID	C	an..35	+				
	0035	TEST INDICATOR	C	n1	'				

0010 UNH - MESSAGE HEADER

Segment group: none
 Level: 0
 Maximum use: 1 per message.
 Function: service segment starting and uniquely identifying a message. The message type code for the Delivery schedule message is DELFOR.

Example: **UNH+00000003000001+DELFOR:D:97A:UN'**
 A B C D E

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	0062	MESSAGE REFERENCE NUMBER	M	an..14	+	M	an..14	Message Control number assigned by the sender to the message.
	S009	<i>MESSAGE IDENTIFIER</i>	M			M		
B	0065	Message type	M	an..6	:	M	an..6	"DELFOR".
C	0052	Message version number	M	an..3	:	M	an..3	"D".
D	0054	Message release number	M	an..3	:	M	an..3	"97A".
E	0051	Controlling agency	M	an..2	:	M	an..2	"UN".
	0057	Association assigned code	C	an..6	+			
	0068	COMMON ACCESS REFERENCE	C	an..35	+			
	S010	<i>STATUS OF TRANSFER</i>	C					
	0070	Sequence of transfer	M	n..2	:			
	0073	First and last transfer	C	a1	'			

1030 **UNT - MESSAGE TRAILER**

Segment group: none
 Level: 0
 Maximum use: 1 per message
 Function: service segment ending a message, giving the total number of segments in the message and the control reference number of the message.
 Example: **UNT+102+00000003000001'**
 A B

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	0074	NUMBER OF SEGMENTS IN THE MESSAGE	M	n..6		M	n..6	Control count of the number of segments in the message, including UNH and UNT.
B	0062	MESSAGE REFERENCE NUMBER	M	an..14		M	an..14	Number must be identical to UNH - tag 0062

1040 UNZ - INTERCHANGE TRAILER

Segment Group: none
 Level: 0
 Maximum use: 1
 Function: service segment ending an interchange and giving the number of messages contained in the interchange as well as the Interchange Control Reference number.

Example: **UNZ+1+4999020'**
 A B

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	0036	INTERCHANGE CONTROL COUNT	M	n..6	+	M	n..6	Number of messages in an interchange.
B	0020	INTERCHANGE CONTROL REFERENCE	M	an..14	'	M	an..14	Value must be the same as 0020 - Interchange Control Reference in UNB.

2. MESSAGE STRUCTURE

The message structure illustrates how the segments will be repeated in the Eberspaecher Delivery Forecast message .

0010.UNH	Start of Delivery Schedule Message
0020.BGM	Message identification
0030-1.DTM	Message generation date
0090-1.NAD	Material release issuer (Buyer)
0090-2.NAD	Supplier identification
0200-1.GIS	Detail section trigger segment 1
0220.[GIS].NAD	Ship to destination identification
0380.[GIS.NAD].LIN	Article-/part number #1 identification
0390.[GIS.NAD.LIN].PIA	Sellers Article number
0400.[GIS.NAD.LIN].IMD	Part description
0490-1.[GIS.NAD.LIN].RFF	Purchase order number
0490-2.[GIS.NAD.LIN].RFF	Previous Delivery Schedule Number
0490.[GIS.NAD.LIN.RFF].DTM	Previous Delivery Schedule date
0490-3.[GIS.NAD.LIN].RFF	Actual Delivery Schedule Number
0490.[GIS.NAD.LIN.RFF].DTM	Actual Delivery Schedule date
0550-1.[GIS.NAD.LIN].QTY	Cumulative quantity received
0560-1.[GIS.NAD.LIN.QTY].DTM	Date received
0550-2.[GIS.NAD.LIN].QTY	Last quantity received
0580.[GIS.NAD.LIN.QTY].RFF	Reference number of last ASN received
0590.[GIS.NAD.LIN.QTY.RFF].DTM	Date of last ASN received
0610-1.[GIS.NAD.LIN].SCC	Daily requirements
0630.[GIS.NAD.LIN.SCC].QTY	Quantity to be delivered day 1
0640.[GIS.NAD.LIN.SCC.QTY].DTM	Date of planned delivery 1
0630.[GIS.NAD.LIN.SCC].QTY	Quantity to be delivered day 2
0640.[GIS.NAD.LIN.SCC.QTY].DTM	Date of planned delivery 2
0630.[GIS.NAD.LIN.SCC].QTY	Quantity to be delivered day n
0640.[GIS.NAD.LIN.SCC.QTY].DTM	Date of planned delivery n
0610-2.[GIS.NAD.LIN].SCC	Monthly requirements (not used at present)
0630.[GIS.NAD.LIN.SCC].QTY	Quantity to be scheduled for month 1
0640.[GIS.NAD.LIN.SCC.QTY].DTM	Date of scheduled month 1
0630.[GIS.NAD.LIN.SCC].QTY	Quantity to be scheduled for month n
0640.[GIS.NAD.LIN.SCC.QTY].DTM	Date of scheduled month n
0200-2.GIS	Detail section trigger segment 2
0220-2.[GIS].NAD	Ship to destination identification
0380-1.[GIS.NAD].LIN	Article-/part number #2 identification
...	
0200-n.GIS	Detail section trigger segment n
0220-n.[GIS].NAD	Ship to destination identification
0380-1.[GIS.NAD].LIN	Article-/part number #n identification
...	
1030.UNT	End of message

3. DATA SEGMENTS DESCRIPTION

This part includes only the segments which are used in the Eberspaecher DELFOR subset.

The segments are described in the same sequence as they appear in the message.

0020 BGM - BEGINNING OF MESSAGE

Segment group: none
 Level: 1
 Maximum use: 1 per message
 Function: segment for the unique identification of the delivery schedule document, by means of its name and its number.
 Example: **BGM+241+4999020+5'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	C002	<i>DOCUMENT/MESSAGE NAME</i>	C			C		
	1001	Document/message name, coded	C	an..3	:	M	an..3	"241" = Delivery Schedule.
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	:			
	1000	Document/message name	C	an..35	+			
B	C106	<i>DOCUMENT/MESSAGE IDENTIFICATION</i>	C					
	1004	Document/message number	C	an..35	:	M	an..35	Eberspaecher assigned release number.
	1056	Version	C	an..9	:			
	1060	Revision number	C	an..6	+			
C	1225	MESSAGE FUNCTION, CODED	C	an..3	+	M	an..3	"5" = Replace. This schedule replaces the previous schedule.
	4343	RESPONSE TYPE, CODED	C	an..3	'			

0030 DTM - DATE/TIME/PERIOD

Segment group: none
 Level: 1
 Maximum use: 10 per message at level 1
 Function: segment specifying the actual issue date of the message.

Example: **DTM+137:20031016:102'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C507	DATE/TIME/PERIOD	M			M		
A	2005	Date/time/period qualifier	M	an..3	:	M	an..3	"137" = Document message date/time.
B	2380	Date/time/period	C	an..35	:	M	an..35	Actual issue date of the document.
C	2379	Date/time/period format qualifier	C	an..3	"	M	an..3	"102" = CCYYMMDD.

Segment group 2: NAD-SG3-SG4

Segment group: 2 [SG2]
 Level: 1
 Maximum use: 99 per message at level 1
 Function: group of segments identifying names, addresses, locations, and contacts relevant to the whole Delivery Schedule.

0090 NAD - NAME AND ADDRESS

Segment group: 2 [NAD]
 Level: 1
 Maximum use: 1 per segment group
 Function: segment for identifying names and addresses and their functions relevant for the whole Delivery Schedule. Identification of the seller and buyer parties is recommended for the Delivery Schedule message. Exception: the identification of the recipient of the goods must be given in the detail section.

Example: **NAD+BY+112233::91+EBERSPAECHER NA'** [buyer]
NAD+SU+332211::92+SUPPLIER NAME' [supplier]
 A B C D

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS

Planning schedule/material release issuer (buyer).

A	3035	PARTY QUALIFIER	M	an..3	+	M	an..3	"BY" = Buyer)
B	C082	<i>PARTY IDENTIFICATION DETAILS</i>	C			M		
	3039	Party id. Identification	M	an..35	:	M	an..35	"112233". Suppliers customer number for Eberspaecher , if provided
C	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	+	M	an..3	"91" = Assigned by seller.
D	C058	<i>NAME AND ADDRESS</i>	C					
	3124	Name and address line	M	an..35	:			
	3124	Name and address line	C	an..35	:			
	3124	Name and address line	C	an..35	:			
	3124	Name and address line	C	an..35	:			
	3124	Name and address line	C	an..35	:			
	3124	Name and address line	C	an..35	+			
	C080	<i>PARTY NAME</i>	C			C		
	3036	Party name	M	an..35	:	M	an..35	Name of the party.
	3036	Party name	C	an..35	:			
3036	Party name	C	an..35	:				
3036	Party name	C	an..35	:				
3036	Party name	C	an..35	:				
3045	Party name format, coded	C	an..3	+				
C059	<i>STREET</i>	C						
3042	Street and number/p.o. box	M	an..35	:				
3042	Street and number/p.o. box	C	an..35	:				
3042	Street and number/p.o. box	C	an..35	:				
3042	Street and number/p.o. box	C	an..35	+				
3164	CITY NAME	C	an..35	+				
3229	COUNTRY SUB-ENTITY IDENTIFICATION	C	an..9	+				
3251	POSTCODE IDENTIFICATION	C	an..9	+				
3207	COUNTRY, CODED	C	an..3	"				

0090 NAD - CONTINUED

Supplier

A	3035	PARTY QUALIFIER	M	an..3	+	M	an..3	"SU" = Supplier.
	C082	<i>PARTY IDENTIFICATION DETAILS</i>	C			M		
B	3039	Party id. Identification	M	an..35	:	M	an..35	supplier number.
	1131	Code list qualifier	C	an..3	:			
C	3055	Code list responsible agency, coded	C	an..3	+	M	an..3	"92" = Assigned by buyer .
	C058	<i>NAME AND ADDRESS</i>	C					
	C080	<i>PARTY NAME</i>	C			C		
D	3036	Party name	M	an..35	:	M	an..35	Name of the supplier
REST OF SEGMENT NOT USED.								

Segment group 6: GIS-SG07-SG12

Segment group: 6 [SG6]
 Level: 1
 Maximum use: 9999 per message
 Function: group of segments providing details on delivery points and products and related information .

0200 GIS - GENERAL INDICATOR

Segment group: 6 [GIS]
 Level: 1
 Maximum use: 1 per segment group 6
 Function: segment to indicate which method is used by the relevant processing indicator code.
 Example: **GIS+37'**
 A

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	C529	<i>PROCESSING INDICATOR</i>	M			M		"37" = Complete information.
	7365	Processing indicator, coded	M	an..3	:	M	an..3	
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3				
	7187	Process type identification	C	an..17	'			

Segment group 7: NAD-LOC-FTX-SG8-SG9-SG10-SG11

Segment group: 7 [GIS.SG7]
 Level: 2
 Maximum use: 1 per segment group 6
 Function: group of segments needed to identify a delivery point and its attached information.

0220 NAD - NAME AND ADDRESS

Segment group: 7 [GIS.NAD]
 Level: 2
 Maximum use: 1 per segment group 7
 Function: segment for identifying names and addresses and their functions relevant to the delivery point. All other segments in this segment group 7 following the NAD segment refer to that delivery point.

Example: **NAD+ST+4001::92+ENA BRAMPTON, CANADA'**
 A B C D

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	3035	PARTY QUALIFIER	M	an..3	+	M	an..3	"ST" = Ship to (= Consignee).
	C082	<i>PARTY IDENTIFICATION DETAILS</i>	C			M		
B	3039	Party id. Identification	M	an..35	:	M	an..35	Code identifying the plant where the material must be delivered. 4000 = Plant Brighton, USA 4001 = Plant Brampton, Canada
	1131	Code list qualifier	C	an..3	:			
C	3055	Code list responsible agency, coded	C	an..3	+	M	an..3	"92" = Assigned by buyer .
	C058	<i>NAME AND ADDRESS</i>	C					
D	3124	Name and address line	M	an..35	:			
	3124	Name and address line	C	an..35	:			
	3124	Name and address line	C	an..35	:			
	3124	Name and address line	C	an..35	:			
	3124	Name and address line	C	an..35	+			
	C080	<i>PARTY NAME</i>	C			C		
	3036	Party name	M	an..35	:	M	an..35	Name of the party.
	3036	Party name	C	an..35	:			
	3036	Party name	C	an..35	:			
	3036	Party name	C	an..35	:			
	3036	Party name	C	an..35	:			
	3045	Party name format, coded	C	an..3	+			
	C059	<i>STREET</i>	C					
	3042	Street and number/p.o. box	M	an..35	:			
	3042	Street and number/p.o. box	C	an..35	:			
3042	Street and number/p.o. box	C	an..35	:				
3042	Street and number/p.o. box	C	an..35	+				
3164	CITY NAME	C	an..35	+				
3229	COUNTRY SUB-ENTITY ID.	C	an..9	+				
3251	POSTCODE IDENTIFICATION	C	an..9	+				
3207	COUNTRY, CODED	C	an..3	+				

Segment group 12: LIN-PIA-IMD-MEA-ALI-GIN-GIR-LOC-DTM-FTX-SG13-SG14-SG15-SG17-SG20-SG22

Segment group: 12 [GIS.SG12]
 Level: 2
 Maximum use: 9999 per GIS in segment group 6
 Function: group of segments providing details of the individual line items for the specified delivery point.

0380 LIN - LINE ITEM

Segment group: 12 [GIS.LIN]
 Level: 2
 Maximum use: 1 per segment group 12 (max. 9999 per GIS)
 Function: segment identifying the details of the product or service to be delivered, e.g. product identification. All other segments in the detail section following the LIN segment refer to the line item.

Example: **LIN+++1152205620700A:IN'**
 A B

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	1082	LINE ITEM NUMBER	C	n..6	+			
	1229	ACTION REQUEST/ NOTIFICATION, CODED	C	an..3	+			
A	C212	<i>ITEM NUMBER IDENTIFICATION</i>	C			M		
	7140	Item number	C	an..35	:	M	an..35	Eberspaecher part number.
B	7143	Item number type, coded	C	an..3	:	M	an..3	"IN" = Buyer's item number.
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	+			
	C829	<i>SUB-LINE INFORMATION</i>	C					
	5495	Sub-line indicator, coded	C	an..3	:			
	1082	Line item number	C	n..6	+			
	1222	CONFIGURATION LEVEL	C	n..2	+			
	7083	CONFIGURATION, CODED	C	an..3	'			

0390 PIA - ADDITIONAL PRODUCT ID

Segment group: 12 [GIS.LIN.PIA]
 Level: 3
 Maximum use: 10 per LIN in segment group 12
 Function: segment providing additional product identification.

Example: **PIA+1+998877:SA'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	4347	PRODUCT ID. FUNCTION QUALIFIER	M	an..3	+	C	an..3	"I" = Additional identification
	C212	<i>ITEM NUMBER IDENTIFICATION</i>	M			C		
B	7140	Item number	C	an..35	:	C	an..35	Sellers article number. Not always transmitted..
C	7143	Item number type, coded	C	an..3	:	C	an..3	"SA" = Supplier's article number.
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	+			
	C212	<i>ITEM NUMBER IDENTIFICATION</i>	C			C		
	7140	Item number	C	an..35	:	C		
	7143	Item number type, coded	C	an..3	:	C		
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	+			
	C212	<i>ITEM NUMBER IDENTIFICATION</i>	C					
	7140	Item number	C	an..35	:			
	7143	Item number type, coded	C	an..3	:			
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	+			
	C212	<i>ITEM NUMBER IDENTIFICATION</i>	C					
	7140	Item number	C	an..35	:			
	7143	Item number type, coded	C	an..3	:			
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	+			

0400 IMD - ITEM DESCRIPTION

Segment group: 12 [GIS.LIN.IMD]
 Level: 3
 Maximum use: 10 per LIN in segment group 12
 Function: segment for describing the product to be delivered.

Example: **IMD+F+8:::INLET PIPE'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	7077	ITEM DESCRIPTION TYPE, CODED	C	an..3	+	C	an 3	„F“ = free form
B	7081	ITEM CHARACTERISTIC, CODED	C	an..3	+	C	an 3	„8“ = product
	C273	<i>ITEM DESCRIPTION</i>	C					
	7009	Item description identification	C	an..17	:			
	1131	Code list qualifier	C	an..3	:			
	3055	Code list responsible agency, coded	C	an..3	:			
C	7008	Item description	C	an..35	:	C	an 35	Product description
	7008	Item description	C	an..35	:			
	3453	Language, coded	C	an..3	+			
	7383	SURFACE/LAYER INDICATOR, CODED	C	an..3	'			

Segment group 13: RFF-DTM

Segment group: 13 [GIS.LIN.SG13]
 Level: 3
 Maximum use: 10 per LIN in segment group 13
 Function: group of segments giving references related to the line item and where necessary, their dates.

SEGMENT GROUP 13	PURCHASE ORDER
-------------------------	-----------------------

0490 RFF - REFERENCE

Segment group: 13 [GIS.LIN.RFF]
 Level: 3
 Maximum use: 1 per segment group 13 (max. 10)
 Function: segment for identifying documents relating to the line item, e.g. a contract and its appropriate line item.

Example: **RFF+ON:16000015:10'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C506	<i>REFERENCE</i>	M			M		
A	1153	Reference qualifier	M	an..3	:	M	an..3	"ON" = Order number. Number of the Purchase Order relevant for the article defined in the preceding LIN. Order position number
B	1154	Reference number	C	an..35	:	C	an..35	
C	1156	Line number	C	an..6	:			
	4000	Reference version number	C	an..35	'			

SEGMENT GROUP 13
PREVIOUS DELIVERY INSTRUCTION

0490 RFF - REFERENCE

Description: see 1st occurrence of segment group 13.

Example: **RFF+AIF:6'**
A B

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C506	<i>REFERENCE</i>	M			M		
A	1153	Reference qualifier	M	an..3	:	M	an..3	"AIF" = Previous Delivery Instruction number. Reference number of the previously send Delivery Schedule.
B	1154	Reference number	C	an..35	:	C	an..35	
	1156	Line number	C	an..6	:			
	4000	Reference version number	C	an..35	'			

0500 DTM - DATE/TIME/PERIOD

Segment group: 13 [GIS.LIN.RFF.DTM]

Level: 4

Maximum use: 1 per preceding RFF

Function: segment providing the date/time/period of the reference.

Example: **DTM+137:20031015:102'**
A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C507	<i>DATE/TIME/PERIOD</i>	M			M		
A	2005	Date/time/period qualifier	M	an..3	:	M	an..3	"137" = Document/message date/time. Date of the previously send Delivery Schedule.
B	2380	Date/time/period	C	an..35	:	C	an..35	
C	2379	Date/time/period format qualifier	C	an..3	'	C	an..3	"102" = CCYYMMDD.

SEGMENT GROUP 13
ACTUAL DELIVERY INSTRUCTION
0490 RFF - REFERENCE

 Description: see 1st occurrence of segment group 13.

 Example: **RFF+AAN:7'**
 A B

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C506	<i>REFERENCE</i>	M			M		
A	1153	Reference qualifier	M	an..3	:	M	an..3	"AAN" = Delivery Schedule number.
B	1154	Reference number	C	an..35	:	C	an..35	Reference number of the actual Delivery Schedule.
	1156	Line number	C	an..6	:			
	4000	Reference version number	C	an..35	'			

0500 DTM - DATE/TIME/PERIOD

 Description: see 2nd occurrence of segment group 13.

 Example: **DTM+137:20031016:102'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C507	<i>DATE/TIME/PERIOD</i>	M			M		
A	2005	Date/time/period qualifier	M	an..3	:	M	an..3	"137" = Document/message date/time.
B	2380	Date/time/period	C	an..35	:	C	an..35	Date of the previously send Delivery Instruction.
C	2379	Date/time/period format qualifier	C	an..3	'	C	an..3	"102" = CCYYMMDD.

CALCULATION INFORMATION

Segment group 15: QTY-DTM-SG16

Segment group: 15 [GIS.LIN.SG15]
 Level: 3
 Maximum use: 10 per LIN in segment group 12
 Function: group of segments specifying product quantities and associated dates not related to schedules and where relevant references.

SEGMENT GROUP 15

CUMULATIVE QUANTITY RECEIVED

0550.[GIS.LIN].QTY
0560.[GIS.LIN.QTY].DTM
Cumulative quantity received
Receipt date and time

0550 QTY - QUANTITY

Segment group: 15 [GIS.LIN.QTY]
 Level: 3
 Maximum use: 1 per segment group 15 (max. 10)
 Function: segment to specify pertinent quantities not related to schedule(s), e.g. cumulative quantity, last quantity considered.

Example: **QTY+70:52:PCE'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C186	QUANTITY DETAILS	M			M		
A	6063	Quantity qualifier	M	an..3	:	M	an..3	"70" = Cumulative quantity received. The cumulative quantity received is set to zero at the time of the inventory.
B	6060	Quantity	M	n..15	:	M	n..15	
C	6411	Measure unit qualifier	C	an..3	'	C	an..3	„PCE“ = piece

0560 DTM - DATE/TIME/PERIOD

Segment group: 15 [GIS.LIN.QTY.DTM]
 Level: 4
 Maximum use: 2 per QTY
 Function: segment providing the date/time/period details relating to the quantity.

Example: **DTM+310:20031015:102'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C507	DATE/TIME/PERIOD	M			M		
A	2005	Date/time/period qualifier	M	an..3	:	M	an..3	"310" = Received date/time All deliveries received until this date are booked and included in the material scheduling.
B	2380	Date/time/period	C	an..35	:	C	an..35	
C	2379	Date/time/period format qualifier	C	an..3	'	C	an..3	"102" = CCYYMMDD.

SEGMENT GROUP 15
LAST QUANTITY RECEIVED
0550.[GIS.LIN].QTY
0570.[GIS.LIN.QTY].RFF
0580.[GIS.LIN.QTY.RFF].DTM

Quantity of the referenced shipment

Identifying number of referenced shipment

Date of referenced shipment

0550 QTY - QUANTITY

Description: see first occurrence of segment group 15.

 Example: **QTY+12:2:PCE'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C186	<i>QUANTITY DETAILS</i>	M			M		
A	6063	Quantity qualifier	M	an..3	:	M	an..3	"12" = Despatch quantity.
B	6060	Quantity	M	n..15	:	M	n..15	Last despatched quantity of the part number identified in the preceding LIN that was booked as received.
C	6411	Measure unit qualifier	C	an..3	'	C	an..3	„PCE“ = piece

Segment group 16: RFF-DTM

Segment group: 16 [GIS.LIN.QTY.SG16]

Level: 4

Maximum use: 10 per QTY in segment group 15

Function: group of segments giving references related to the quantity and where necessary, their dates.

0580 RFF - REFERENCE

Segment group: 16 [GIS.LIN.QTY.RFF]

Level: 4

Maximum use: 1 per segment group 16 (max. 10)

Function: segment for identifying reference to the quantity, e.g. despatch advice number.

 Example: **RFF+SI:555666777'**
 A B

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C506	<i>REFERENCE</i>	M			M		
A	1153	Reference qualifier	M	an..3	:	M	an..3	"SI" = Shipper's ID no. for shipment. last received despatch note number.
B	1154	Reference number	C	an..35	:	C	an..35	
	1156	Line number	C	an..6	:			
	4000	Reference version number	C	an..35	'			

0590 DTM - DATE/TIME/PERIOD

Segment group: 16 [GIS.LIN.QTY.RFF.DTM]
 Level: 5
 Maximum use: 1 per RFF in segment group 16
 Function: segment for the date/time/period of the reference.

Example: **DTM+11:20031015:102'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION			
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS	
	C507	DATE/TIME/PERIOD	M			M			
A	2005	Date/time/period qualifier	M	an..3	:	M	an..3	"11" = Despatch Date/Time. Date of Referenced Document	
B	2380	Date/time/period	C	an..35	:	C	an..35		
C	2379	Date/time/period format qualifier	C	an..3	'	C	an..3	"102" = CCYYMMDD.	

Segment group 17: SCC-SG18

Segment group: 17 [GIS.LIN.SG17]
 Level: 3
 Maximum use: 999 per LIN in segment group 12
 Function: group of segments specifying the schedule information for the product identified in the LIN segment. This segment group provides the schedule for the identified delivery point and product.

SEGMENT GROUP 17 **DAILY QUANTITIES**

0610 .[GIS.LIN]. SCC	Frequency and delivery pattern
0630 .[GIS.LIN.SCC]. QTY	Quantity to be delivered
0640 .[GIS.LIN.SCC.QTY]. DTM	Delivery date

0610 SCC - SCHEDULING CONDITIONS

Segment group: 17 [GIS.LIN.SCC]
 Level: 3
 Maximum use: 1 per segment group 17
 Function: segment specifying the status of the schedule.
 Example: **SCC+4'**
 A

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	4017	DELIVERY PLAN STATUS INDICATOR, CODED	M	an..3	+	M	an..3	"4" = Planning/Forecast.
	4493	DELIVERY REQUIREMENTS, CODED	C	an..3	+			
	C329	<i>PATTERN DESCRIPTION</i>	C			C		
	2013	Frequency, coded	C	an..3	:	C	an..3	Definition of the frequency. Empty frequency means DAILY releases
	2015	Despatch pattern, coded	C	an..3	:			
	2017	Despatch pattern timing, coded	C	an..3	'			

Segment group 18: QTY-DTM-SG19

Segment group: 18 [GIS.LIN.SCC.SG18]
 Level: 4
 Maximum use: 999 per SCC in segment group 17
 Function: group of segments specifying product quantities and associated dates.

0630 QTY - QUANTITY

Segment group: 18 [GIS.LIN.SCC.QTY]
 Level: 4
 Maximum use: 1 per segment group 18 (max. 999 per SCC)
 Function: segment to specify delivery quantity for a date specified by the following DTM segment..

Example: **QTY+113:100:PCE'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C186	<i>QUANTITY DETAILS</i>	M			M		
A	6063	Quantity qualifier	M	an..3	:	M	an..3	"113" = Quantity to be delivered.
B	6060	Quantity	M	n..15	:	M	n..15	quantity
C	6411	Measure unit qualifier	C	an..3	'	C	an..3	„PCE“ = piece.

0640 DTM - DATE/TIME/PERIOD

Segment group: 18 [GIS.LIN.SCC.QTY.DTM]
 Level: 5
 Maximum use: 2 per QTY in segment group 18
 Function: segment indicating date/time/period details relating to the given quantity.

Example: **DTM+2:20031020:102'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C507	<i>DATE/TIME/PERIOD</i>	M			M		
A	2005	Date/time/period qualifier	M	an..3	:	M	an..3	"2" = Delivery date/time, requested.
	2380	Date/time/period	C	an..35	:	M	an..35	date.
C	2379	Date/time/period format qualifier	C	an..3	'	M	an..3	"102" = CCYYMMDD.

SEGMENT GROUP 17
MONTHLY QUANTITIES (Not used at present)

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px;">0610.[GIS.LIN].SCC</td></tr> <tr><td style="padding: 2px;">0630.[GIS.LIN.SCC].QTY</td></tr> <tr><td style="padding: 2px;">0640.[GIS.LIN.SCC.QTY].DTM</td></tr> </table>	0610.[GIS.LIN].SCC	0630.[GIS.LIN.SCC].QTY	0640.[GIS.LIN.SCC.QTY].DTM	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px;">Frequency</td></tr> <tr><td style="padding: 2px;">Forecasted quantity</td></tr> <tr><td style="padding: 2px;">Delivery date</td></tr> </table>	Frequency	Forecasted quantity	Delivery date
0610.[GIS.LIN].SCC							
0630.[GIS.LIN.SCC].QTY							
0640.[GIS.LIN.SCC.QTY].DTM							
Frequency							
Forecasted quantity							
Delivery date							

0610 SCC - SCHEDULING CONDITIONS

Description: see first occurrence of segment group 17.

Example: **SCC+4++M'**
 A B

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
A	4017	DELIVERY PLAN STATUS INDICATOR, CODED	M	an..3	+	M	an..3	"4" = Planning/Forecast.
	4493	DELIVERY REQUIREMENTS, CODED	C	an..3	+			
B	C329	<i>PATTERN DESCRIPTION</i>	C			C		
	2013	Frequency, coded	C	an..3	:	C	an..3	"M" = Monthly. At present Eberspaecher uses only DAILY releases. .
	2015	Despatch pattern, coded	C	an..3	:	C	an..3	
	2017	Despatch pattern timing, coded	C	an..3	'			

Segment group 18: QTY-DTM-SG19

Description: see first occurrence of segment group 18.

0630 QTY - QUANTITY

Description: see first occurrence of segment group 18.

Example: **QTY+113:500:PCE'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C186	<i>QUANTITY DETAILS</i>	M			M		
A	6063	Quantity qualifier	M	an..3	:	M	an..3	"113" = quantity to be delivered.
B	6060	Quantity	M	n..15	:	M	n..15	Quantity for specified month.
C	6411	Measure unit qualifier	C	an..3	'	C	an..3	piece.

0640 DTM - DATE/TIME/PERIOD

Description: see first occurrence of segment group 18.

Example: **DTM+2:200406:610'**
 A B C

EDIFACT STANDARD DEFINITION						EBERSPAECHER IMPLEMENTATION		
REF	TAG	NAME	ST	FT	SP	ST	FT	REMARKS
	C507	<i>DATE/TIME/PERIOD</i>	M			M		
A	2005	Date/time/period qualifier	M	an..3	:	M	an..3	"2" = Delivery date/time, requested.
B	2380	Date/time/period	C	an..35	:	M	an..35	date of month for which the preceding quantity has been forecasted.
C	2379	Date/time/period format qualifier	C	an..3	'	M	an..3	"610" = CCYYMM.

4. EXAMPLE OF MESSAGE

UNB+UNOA:2+315032995:1+12345:12+031016:1043+4999020++DELINS'	
UNH+00000003000001+DELFOR:D:97A:UN'	
BGM+241+4999020+5'	Delivery Schedule identification
DTM+137:20031016:102'	Issue date
NAD+BY+112233::91+EBERSPAECHER NA'	Buyer
NAD+SU+332211::92+EXAMPLE SUPPLIER'	Supplier
GIS+37'	Trigger
NAD+ST+4001::92+ENA BRAMPTON, CANADA'	Consignee plant 4001 Brampton
LIN+++1152205620700A:IN'	Part number 1
IMD+F+8+:::INLET PIPE 5.7L V8 BIN 8 HOT END LH'	Part description
RFF+ON:16000019:10'	Purchase order number + position
RFF+AAN:1'	Actual Delivery Schedule number
DTM+137:20031016:102'	Actual Delivery Schedule date
SCC+4'	Delivery requirements
QTY+113:100:PCE'	Quantity 100 pieces
DTM+2:20031020:102'	Date 10/20/2003
QTY+113:150:PCE'	Quantity 150 pieces
DTM+2:20031114:102'	Date 11/14/2003
GIS+37'	Trigger
NAD+ST+4001::92+ENA BRAMPTON, CANADA'	Consignee plant 4001 Brampton
LIN+++1152203600700A:IN'	Part number 2
PIA+1+998877:SA'	Sellers Part number
IMD+F+8+:::CATALYTIC CONVERTER'	Part description
RFF+ON:16000015:10'	Purchase order number + position
RFF+AIF:6'	Previous Delivery Schedule number
DTM+137:20031015:102'	Previous Delivery Schedule date
RFF+AAN:7'	Actual Delivery Schedule number
DTM+137:20031016:102'	Actual Delivery Schedule date
QTY+70:52:PCE'	Cumulative quantity received
DTM+310:20031015:102'	Cum. quantity calculation date
QTY+12:2:PCE'	Last quantity received
RFF+SI:555666777'	Despatch Advice number
DTM+11:20031015:102'	Despatch advice date
SCC+4'	Delivery requirements
QTY+113:8:PCE'	quantity 1
DTM+2:20031016:102'	day 1
QTY+113:101:PCE'	quantity 2
DTM+2:20031020:102'	day 2
QTY+113:111:PCE'	
DTM+2:20031024:102'	
QTY+113:91:PCE'	
DTM+2:20031030:102'	
SCC+4++M'	Monthly requirements
QTY+113:500:PCE'	Monthly quantity 1
DTM+2:200403:610'	Month 1
QTY+113:550:PCE'	Monthly quantity 1
DTM+2:200404:610'	Month 2
UNT+47+00000003000001'	
UNZ+1+4999020'	